


The intellectual shorthand of data visualization can make the abstract and complex clear, elegant and understandable.



HIV Infection product landscape evaluation on name brand for color relevance Maps and Plans – Scientific and Medical



HIV Infection in the United States in 2012 Statistical and Comparative – Scientific and Medical



SaatiMil^m

PRECISION FABRICS FOR
MILLING AND SIFTING APPLICATIONS

For precise, high-capacity particle separation

SaatiMil[™] screens are precision woven for accurate, high-capacity particle separation. The SaatiMil[™] line is ideal for the exacting screening and separating procedures used in food, chemical, pharmaceutical, and mining industries. Applications include flour milling, abrasive sifting, chemical classification, pharmaceutical separation sand sifting, and corn, sugar and rice separation.

Throughout the world, SaatiMil[™] screens are know for their high capacity, longevity, perfect fit, and competitive pricing.


SaatiCare™

PRECISION FABRICS FOR HEALTHCARE APPLICATIONS


Medical and Diagnostic devices


Among the most demanding fabric applications are medical and diagnostic devices. SaatiCareTM healthcare fabrics are more than up to the task; they are the preferred choice for arterial and transfusion filters, diagnostic test kits, collection reservoirs, biopsy bags, oxygenators, and flow control devices. The precise aperature size, uniform flow rates, and lot-to-lot consistency make SaatiCareTM fabrics the ideal solution for demanding healthcare applications.


Manufactured to the most exacting standards, SaatiCare[™] fabrics are woven with monofilament polyester or polyamide fibers with smooth and uniform surfaces that are particularly suitable for medical applications.



Precision fabrics for healthcare applications Flow and Organizational – Commerce








Increased risk of death from hepatic and non-hepatic causes among Hepatitis C patients Statistical and Comparative – Medical




2.0%

5.5%


89 K








Modeling and implementing a multi-channel marketing workflow Flow and Organizational – Marketing




Modeling and implementing a Tablet PC digital presentation workflow Flow and Organizational – Production





Pharmaceutical product comparison chart for measured walking distance Informational and Instructive – Medical





Pharmaceutical product dosing chart specific to product dosing titration information Informational and Instructive – Medical


PRODUCT DOSING CARDS FOR MULTIPLE INDICATIONS

GROMMET CONNECTED CARDS Sample of Dosing tool fanned/open


FRONT SECTION Adult

SECONDARY SECTION Pediatric

SEPARATE CARDS Additional Dosing Guidance Important Safety Information Tablet identification Titration Sign-off/Copyright Back




Pharmaceutical product dosing cards each specific to indication and required information




Product benefit summary Informational and Instructive – Pharmaceutica











THE LIPOSOME COMPANY, INC. 1996 PROJECTED GROWTH

\$ IN MILLIONS

HIGHLIGHTS

other countries

ABELCET Approved in the United States in six months


ABELCET Approved in the United Kingdom, Spain and

TLC C-53 Commenced Phase III Study in ARDS

TLC D-99 Continues three large Phase III Clinical Studies


	COMMON Share Issues	R & D EXPENSES	CASH AND SECURITIES	TOTAL ASSETS	;
	\$ 12.4	\$ 30.1	\$72.3	\$ 105.9	
		1			PROPERTY AND Equipment
TOT I	H				\$ 41.2
	1112				
				H.	
			<u> </u>		
			TOTAL REVENUES		
			\$ 35.3		

Projected growth for The Liposome Company, Inc. 1996 Annual Report Statistical and Comparative – Corporate



Signage system for The Liposome Company, Inc. corporate environment Informational Graphics – Pharmaceutical





HOME BASED BUSINESS (HBB)


18.3 million HBB in the United States One home in ten houses are HBB 53% of small businesses are HBB HBB on average employee 2 people \$427 billion annual average income 8% generate annual income >\$500,000 35% generate annual income >\$125,000 7 out of 10 HBB succeed



SMALL AND MEDIUM BUSINESS (SMB)

4.7 million SMB in the United States SMB employee between 100–9,000 people 47% of noncorporate businesses are SMB Wall-Mart is the largest SMB employing 2,2000,000 people Google voted the best SMB to work for

Hampton Hotel is ranked as the number 1 franchise in the US




CORPORATE BUSINESS (CB)

>700,000 CB in the United States CB employee >10,000 people Exxon Mobil is the largest US CB Allergan is the fasting growing CB




Population growth for the City of Chicago and the State of Illinois



Population growth for the City of Chicago and the State of Illinois Statistical and Comparative – Architectural

Architectural Styles in Illinois	1800	10	20	30	40	50	60	70	80	90	1900	10	20
Federal													
Colonial													
Greek Revival													
Gothic Revival							Â						
Italianate													
Second Empire													
Stick Style													
Late Picturesque Queen Anne													
Shingle Style													
Richardsonian Romanesque													
Commercial Style													
Peak Period Prairie School													



Cast-Iron Construction Preceding Chicago Skeleton Skyscrapers

England

Cast-iron arch bridge, River Severn A. Darby, 1775–1779

Sunderlund Bridge R. Burdon, 1793–1796

Menai Suspension Bridge, Wales Thomas Telford, 1820–1826

Crystal Palace Great Exhibition Joseph Paxson, 1851

Royal Pavilion Brighton, 1818–1821

United States

Grand Central Terminal, NY Snook & Buckhout, 1869

Harpers & Brothers' Building, NY J. Bogardus, 1854


Niagara Falls Suspension Bridge, NY John Roebling, 1855


Brooklyn Bridge, NY John and Washington Roebling, 1869–1883

US Capital Dome, Washington, DC – Walters, 1855

St. Louis River Frout 1850

Truss Arch Bridge, St. Louis, MO James Eads, 1867–74






France


Market Hall of Madeline, Paris Truss construction, 1824

Galerie d'Orleaus, Paris 1833

Eiffel Tower, Paris 1889

Botanical Gardens Greenhouse, Paris 1833







	Despite incremental treatment advances, significant medical needs still exist BROAD STHETOH CONTROL STIL LACKING WITH CARENT ANTHEYCHOTH TEATHENTS When anyther the forget and the streat of a data bits and a streat of a data bi	Lumateperone is an investigational agent
Typical and atypical antipsychotics Effective for positive symptoms, but lack broad	Andread and and the action and an anome and another anome anome and another anome and another anome ano	with a broad pharmacologic profile
- Hovement disorders (eg. akthisia, parkinsonism)* - Hovement disorders (eg. akthisia, parkinsonism)* - Hovement disorders (eg. akthisia, parkinsonism)* - Hovetin elavation* - Proactin elavation*	depressive symptoms depressive sympt	Schizophrenia (3 EFRICACY Strubles, COMPLETED) Primary endpoint: change from bazeline in Positive and Negative Syndrome Scale (PMSS)
- Increased cardiovescular issues?	Neptrevenitive tars the convex after indicated an introduction through the service of the convex after indicated an introduction through the convex after indicated an introduction through the convex after indicated an introduction to the service of the convex after indicated an introduction to the service of the convex after indicated an introduction of a trinical antirestication of a trinical	LARGE RANDOMIZED, DOUBLE-BLIND TRIALS
	Construction adherence sets patients into a costly cycle	(T)-607-307 Interes
	that has a negative effect on quality of life Partients with schapphrenia who are nondificrent to treatment - 2 ac likely to the hopfilted for meth label near - 2 ac likely to the hopfilted for for endth that mans	BIPOLAR DEPRESSION (2 STUDIES. RECKUITING) Primary endpoint:
	For broad treatment effect, next generation antipsychotics	change from baseline in Montgomery-Acberg Depression Rating Scale (HADES) Monotherapy shudy Adjunctive shudy (Lithium or valproate)
	should modulate multiple neurotransmitter pathways without off-target effects: - Cangerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a home and a diseased by humania - Anagerini is a humania - Anagerini is a home and a diseased by humania - Anagerini is a home	N-500 TH 002 00 mg PLACEBO mm A third glabal bipolar depression trial is planned for 2017
	NEXT GENERATION ANTIPSYCHOTIC Ann-Ammenic B) Secondaria Machine Mac	BEHAVIORAL DISTURBANCES IN DEMENTIA (1STUDY, RECRUITING) Printery solone measure charge from baceline a Colon-transfall righted in nontray Net accordary response (direct) didat impression of diataz awenty (Colo)
	Instrungting (a) Culture Instrument Constant Con	

Unmet Needs

Bipolar Depression^{1,2}

• Bipolar disorder is a condition that **affects** (2.6% of US adult population)

• In a vast majority of cases (82.9%), bipolar disorder is classified as "severe"

50% to 70% of patients

present with depressive symptoms³⁻⁵

- Depressive symptoms are associated with greater morbidity and mortality (due to suicidal ideation) than manic symptoms^{6,7}
- Poorer prognosis is observed in patients who present with depressive symptoms⁷

 Misdiagnosis is a significant barrier to appropriate management of bipolar disorder; ~69% of patients may receive an initial misdiagnosis⁸

million

Americans

 Patients who present with predominant depression are more likely to be misdiagnosed

Depression and bipolar support Aniande, http://www.dosaliandex.
 Colom et al. J Affect Disord 2006;93:13-7. 4. Daban et al. Compr F
 Maina G et al. Psychosomatics. 2013;54(5):437-42. 7. Manning JS.
 Singh T et al. Psychiatry (Edgmont). 2006;3:57-63.

Unmet Needs for Bipolar Depression 2017 Statistical – Pharmaceutical / Medical

Unmet Needs

Agitation in Dementia

- Despite high prevalence, there are no approved agents for the treatment of behavioral disturbances in dementia¹
- Though not approved for this indication, antipsychotic agents are often used to treat behavioral disturbances in dementia²
 - These agents are associated with significant adverse events in this population (eg, cerebrovascular events, EPS, falls, cardiovascular events)
 - Can be associated with worsening cognitive impairment
- Use of available psychotropic treatments results in only modest reduction in behavioral disturbances in dementia, highlighting the need for effective, safe, symptom-targeted, and specific pharmacologic interventions³
- There is a significant need for approved medications that can reduce the burden on patients and their caregivers

References: 1. Desai AK et al. Prim Care Companion J Clin Psychiatry. 2001;3(3):93-109.
 2. Steinberg M et al. Am J Psychiatry. 2012 September;169(9):900–906. 3. Cerejeira J. Front Neurol. 2012;3:73

Unmet Needs

Schizophrenia

- Adverse events associated with current treatments are a significant burden to patients, healthcare professionals, caregivers, and health systems
 - Movement disorders (eg, akathisia, Parkinsonism)
 - Weight gain and metabolic disturbances²
 - Prolactin elevation²
 - Cardiac side effects (eg, QTc prolongation)³
- RELAPSE ADVERSE EVENTS



- Within 12 months, up to 60% of patients with schizophrenia are nonadherent to medication, contributing significantly to risk of relapse⁴⁻⁶
 - Treatment nonadherence accounts for approximately 40% of hospital readmissions⁷


billion

per year (US dollars, 2005)⁸

 Rehospitalizations caused by poor treatment adherence may cost the system as much as


• To safely and effectively manage the various symptoms of schizophrenia, there is a tremendous need for agents that act across multiple neurotransmitter pathways without off-target effects


References: 1. Mathews M, et al. Psychiatry. 2005;2(3):36-41. 2. Li P et al. Curr Top Med Chem. 2016;16(29):3385-3403. 3. Peluso MJ, et al. Schizophr Res. 2013;144(1-3):80-86. 4. Veligan Di et al. J Clin Psychiatry. 2009;70isuppi 4):1-45. Lehman AF, et al. Practice Guideline for the Treatment of Patients With Schizophrenia. 2nd ed. 2010. 6. Parenia J et al. J Parm Health Serv. News. 2013;4(1):24-37. Liu. J. Am. / Manag Care. 2014;200(1);61):374-518. Stat. Stat. Curr Mod Res. 2013;2015-2312.




on golden pond


An overview of how the American male spends his retirement years








Basic in principle...





fundamental in practice.

Obixibat is the first and only ileal bile acid transporter (IBAT) inhibitor. Its unique mechanism of action enhances delivery of bile acid to the colon for increased colonic secretion and motility. Obixibat puts natural principles in practice to provide a novel and targeted approach to treating chronic constipation.

> obixibat different by design









Veterinarian product information specific to indications supporting therapeutic considerations Statistical and Comparative – Medical My current responsibilities include the design and development of work that is highly confidential, competitive, and proprietary, and as such, is limited in the context of an online portfolio. Please contact me for information on work and to view additional samples and case studies.

jeff.pienkos@gmail.com 732.614.3652 mobile | 732.758.9354 residence pinkpixelproductions.com